

SAFETY DATA SHEET

According to Work Health and Safety Regulations 2011 and National Model Code of Practice for the

preparation of Safety Data Sheets for Hazardous Chemicals

Version 1.1 Issue date: 23/10/2019 Revision date: 23/05/2022 SDS Record Number: CSSS-TCO-010-132703 1. Identification of the material and supplier

1. Identification of the material and	
Material name:	AP-S Industrial Gear Oil VG 680
Product Code	Not available
Other means of identification:	Not available
Recommended use:	Suitable for various heavy duty industrial gear units and other gears likely to cause vibration load, and suitable for both in circulation system and splash lubrication system; Suitable for lubrication, mainly boundary lubrication of gears, in conditions of heavy duty, shock load or low speed; Suitable for lubrication of closed gearboxes under extreme temperature conditions, ensuring startup and operation of gear unit in extremely low temperature conditions; Suitable for some gearbox unit of long oil drain interval, especially for those with inconvenient drain conditions, or those not requiring special lubrication.
Restrictions on use:	-
Manufacturer:	
Supplier(Manufacturer):	SINOPEC LUBRICANT CO.,LTD
Address:	No. 6 Anning Zhuang West Road, Haidian District, Beijing, P.R.China
Contact person(E-mail):	csc.lube@sinopec.com
Telephone:	86-800-810-9886
Fax:	86-10-82410856
Emergency number:	86-800-810-9886
Australia Supplier(Manufacturer):	International Lubricant Distributors Pty. Ltd.
Address:	21 Logistics Boulevard, Kenwick, WA 6107, Australia
Contact person(E-mail):	-
Telephone:	-
Fax:	+61 8 9381 1788
Emergency number:	1300 558 939
New Zealand Supplier(Manufacturer):	MTS ENERGY LTD
Address:	PO BOX 302-133 North Harbour, Auckland 0751, New Zealand
Telephone:	+64 9 480 8921
Fax:	+64 9 480 8398
Emergency number:	0800 399 993 (24 Hrs)

2. Hazards identification

Australia:

Not classified as Hazardous according to criteria of National Occupational Health and Safety Commission (NOHSC), Australia. Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

New Zealand:

Not classified as Hazardous according to the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001, New Zealand. Not classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:2012 Transport of Dangerous Goods on Land.

GHS label elements:

Hazard Pictograms: :	No hazard pictogram is used.
Signal word:	No signal word is used.
Hazard statement:	Not applicable.
Precautionary statement:	
Prevention:	Not applicable.
Response:	Not applicable.
Storage:	Not applicable.
Disposal:	Not applicable.
Other hazards which do not result in	Not applicable.
classification:	

3. Composition/information on ingredients		
Components	CAS No.	Percent
PAO	Mixture	90 - 99 %weight
Isopropanol	67-63-0	0.01 – 0.1%weight

4. First aid measures	
Inhalation:	No specific first aid measures are required. If exposed to excessive levels of material in
	the air, move the exposed person to fresh air. Get medical attention if coughing or
	respiratory discomfort occurs.
Skin:	No specific first aid measures are required. As a precaution, remove clothing and shoes if
	contaminated. To remove the material from skin, use soap and water. Discard
	contaminated clothing and shoes or thoroughly clean before reuse.
Eye:	No specific first aid measures are required. As a precaution, remove contact lenses, if
	worn, and flush eyes with water.
Ingestion:	No specific first aid measures are required. Do not induce vomiting. As a precaution, get
	medical advice.
Symptoms caused by exposure:	Not available.
Medical Attention and Special Treatment:	Treat symptomatically.

5. Fire-fighting measures		
Suitable extinguishing media:	Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish flames.	
Extinguishing media which must not be	Not available.	
used for safety reasons:		
Specific hazards arising from the	Highly dependent on combustion conditions. A complex mixture of airborne solids, liquids,	
chemical:	and gases including carbon monoxide, carbon dioxide, and unidentified organic compounds will be evolved when this material undergoes combustion.	
Special protective equipment and	This material will burn although it is not easily ignited. For fires involving this material, do	
precautions for fire fighters:	not enter any enclosed or confined fire space without proper protective equipment,	
	including self-contained breathing apparatus.	
Material name: AP-S Industrial Gear Oil VG 680	SDS Australia&New Zealand	

6. Accidental release measures

Personal precautions, protective	Avoid build up of vapor. Ensure sufficient supply of air. Avoid contact with eyes or skin.	
equipment and emergency procedures:	Contact with water - danger of sliding. Wear appropriate personal protective equipment	
	and clothing to prevent exposure. Increase ventilation. Evacuate all unprotected	
	personnel. Eliminate all sources of ignition in vicinity of spilled material.	
Environmental precautions:	If leakage occurs, dam up. Prevent surface and ground-water infiltration, as well as ground	
	penetration. Prevent from entering drainage system. If accidental entry into drainage	
	system occurs, inform responsible authorities.	
Methods and materials for containment	Stop the source of the release if you can do it without risk. Contain release to prevent	
and cleaning up:	further contamination of soil, surface water or groundwater. Clean up spill as soon as	
	possible, observing precautions in Exposure Controls/Personal Protection. Use	
	appropriate techniques such as applying non-combustible absorbent materials or pumping.	
	Where feasible and appropriate, remove contaminated soil. Place contaminated materials	
	in disposable containers and dispose of in a manner consistent with applicable regulations.	

7. Handling and storage	
Precautions for safe handling:	Containers, even those that have been emptied, may contain explosive vapors. Do NOT cut, drill, grind, weld or perform similar operations on or near containers. Electrostatic discharge may be generated during pumping - this may result in fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment.
Conditions for safe storage, including any incompatibilities: Storage regulation	Do not store in open or unlabeled containers. Store in a cool, dry place with adequate ventilation. Keep away from open flames and high temperatures. Container is not designed to contain pressure. Do not use pressure to empty container or it may rupture with explosive force. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioned or disposed of properly.

8. Exposure controls/personal protection

Control parameters – exposure Not available

standards, biological monitoring:

Exposure Levels

Occupational exposure limits:

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)		
Components	Туре	Value
Isopropanol (CAS 67-63-0)	STEL	1230 mg/m3
		500 ppm
	TWA	983 mg/m3
		400 ppm
Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)		
Components	Туре	Value
Isopropanol (CAS 67-63-0)	STEL	1230 mg/m3

			500 mm		
			500 ppm		
	TWA		983 mg/m3		
US. ACGIH Threshold Limit Values			400 ppm		
	-				
Components		Туре		Value	
Isopropanol (CAS 67-63-0)	STEL		400 ppm		
	TWA		200 ppm		
New Zealand. WES. (Workplace Exposu	-		· · · ·		
Material	Туре		Value		
Isopropanol (CAS 67-63-0)	STEL	STEL		1230 mg/m3	
			500 ppm		
	TWA		•	983 mg/m3	
			400 ppm		
UK. EH40 Workplace Exposure Limits (V	,				
Material	Туре		Value		
Isopropanol (CAS 67-63-0)	STEL		1250 mg/m3		
			500 ppm		
	TWA		999 mg/m3 400 ppm		
Commence DEC MAK List (advisory OEL	a) Commission for f			Chamical Compounds in th	
Germany. DFG MAK List (advisory OEL	s). Commission for t	the investigation of	Health Hazards of	Chemical Compounds in th	
Work Area (DFG) Material	Turne		Value		
	Туре		Value		
Isopropanol (CAS 67-63-0)	TWA		500 mg/m3		
Dielegieel limit veluee				200 ppm	
Biological limit values Germany. TRGS 903, BAT List (Biologica					
Material		Determinant	Specimen	Sampling Time	
	25 mg/l	Aceton	Urine		
Isopropanol (CAS 67-63-0)	25 mg/l	Aceton	Blood	*	
* - For sampling details, please see the sou		Acelon	Biood		
ACGIH Biological Exposure Indices					
Material	Value	Determinant	Specimon	Sampling Time	
Isopropanol (CAS 67-63-0)		Acetone	Specimen		
* - For sampling details, please see the sou	40 mg/l	Acelone	Urine		
		wantilation to keep o	inhana lavala aa law	a pasible M/hara vanaura a	
Appropriate engineering controls:		Provide sufficient ventilation to keep airborne levels as low as possible. Where vapours or			
	-	mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a local exhaust ventilation system is required.			
Personal protective equipment:	iocal exhaust ven	illialion system is req	uneu.		
Eye/face protection:	No special eve p	rotection is normally	required Where sold	sching is possible wear safet	
	No special eye protection is normally required. Where splashing is possible, wear sat glasses with side shields as a good safety practice.		asiling is possible, wear saler		
Skin protection:	No special protective clothing is normally required. Where splashing is possible, select				
	protective clothing depending on operations conducted, physical requirements and other				
	substances in the workplace. Suggested materials for protective gloves include: Neoprene,				
	Nitrile Rubber.				
Respiratory protection:		Nitrile Rubber. No respiratory protection is normally required. No respiratory protection is ordinarily			
		required under normal conditions of use. In accordance with good industrial hygiene			
	-			of material. If user operation	
Material name: AP-S Industrial Gear Oil VG 680	F. 301000, produ			SDS Australia&New Zealand	
Version #: 1.1 Issue date: 23-10-2019.	Revision date: 23-05-20)22.		4 /10	

generate an oil mist, determine if airborne concentrations are below the occupational exposure limit for mineral oil mist. If not, wear an approved respirator that provides adequate protection from the measured concentrations of this material. For air-purifying respirators use a particulate cartridge. Use a positive pressure air-supplying respirator in circumstances where air-purifying respirators may not provide adequate protection. Suggested materials for protective gloves include: Neoprene, Nitrile Rubber.

Hand protection:

9. Physical and chemical properties

Information on basic physical and chemical properties		
Appearance:		
Physical state:	Liquid	
Form:	Liquid	
Color:	Light to Brown	
Odor:	Petroleum odor	
Odour threshold:	Not available	
PH:	Not available	
Melting point/Freezing point:	Not available	
Boiling point and boiling range:	Not available	
Flash point:	(Cleveland Open Cup) 220 °C (428 °F) Minimum	
Evaporation rate:	Not available	
Flammability (solid, gas) :	Not available	
Upper/lower flammability or explosive	Not available	
limits:		
Vapor pressure:	<0.01 mmHg Maximum @ 37.8 °C (100 °F)	
Vapor density:	>1 Minimum	
Density:	0.89 kg/l @ 20°C (68°F) (Typical)	
Solubility (H ₂ O) :	Soluble in hydrocarbon solvents; insoluble in water.	
Partition coefficient (n-octanol/water) :	Not available	
Auto-ignition temperature:	Not available	
Decomposition temperature:	Not available	
Viscosity, dynamic:	612 mm2/s ~748 mm²/s @ 40°C (104°F) Minimum	
Specific heat value:	Not available	
Particle size:	Not available	
Volatile organic compounds content:	Not available	
% volatile:	Not available	
Saturated vapour concentration:	Not available	
Release of invisible flammable vapours	Not available	
and gases:		
Additional parameters		
Shape and aspect ratio:	Not available	
Crystallinity:	Not available	
Dustiness:	Not available	
Surface area:	Not available	
Degree of aggregation or agglomeration:	Not available	
Ionisation (redox potential):	Not available	
Biodurability or biopersistence:	Not available	

10. Stability and reactivity

Reactivity:	Stable under recommended transport or storage conditions.	
Chemical stability:	Stable under normal temperatures and pressures.	
Possibility of hazardous reactions:	Contact with strong oxidants.	
Conditions to avoid:	Incompatible materials.	
Incompatible materials:	May react with strong acids or strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.	
Hazardous decomposition products		
Hazardous decomposition products:	Fumes, smoke, carbon monoxide, sulfur oxides, aldehydes and other decomposition products, in the case of incomplete combustion.	

11. Toxicological information

Toxicological data:	
Acute toxicity:	
LD50(Oral, Rat):	Not available
LD50(Dermal, Rabbit):	Not available
LC50(Inhalation, Rat):	Not available
Skin corrosion/Irritation:	No data available.
Serious eye damage/irritation:	No data available.
Respiratory or skin sensitization:	No data available.
Germ cell mutagenicity:	No data available.
Carcinogenicity:	No data available.
Reproductive toxicity:	No data available.
STOT- single exposure:	No data available.
STOT-repeated exposure:	No data available.
Aspiration hazard:	No data available.
Other information	This product has no known adverse effect on human health.
Information on routes of exposure	No data available.
Symptoms related to exposure	No data available.
Numerical measures of toxicity	No data available.
Immediate, delayed and chronic health	No data available.
effects from exposure	

12. Ecological information

Ecotoxicity:

	Acute toxicity		Time	Species	Method	Evaluation	Remarks
	LC50	N/A	96h	Fish	OECD 203	N/A	N/A
	EC50	N/A	48h	Daphnia	OECD 202	N/A	N/A
	EC50	N/A	72h	Algae	OECD 201	N/A	N/A
Persistence and degradability:		This product is expected to be inherently biodegradable.					
Bioaccumulative potential:		No data available.					

No data available.

Mobility in soil:

Other adverse effects:

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Safe handling and disposal methods: Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Disposal of any contaminated packaging: Australia: The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations. New Zealand: **Product Disposal** Product wastes are controlled wastes and should be disposed of in accordance with all applicable local and national regulations. This product can be disposed through a licensed commercial waste collection service. In this specific case the product is a combustible substance and therefore can be sent to an approved high temperature incineration plant for disposal. Personal protective clothing and equipment as specified in Section 8 of this SDS must be worn during handling and disposal of this product. The ventilation requirements as specified in the same section must be followed, and the precautions given in Section 7 of this SDS regarding handling must also be followed. Do not dispose into the sewerage system. Do not discharge into drains or watercourses or dispose where ground or surface waters may be affected. In New Zealand, the disposal agency or contractor must comply with the New Zealand Hazardous Substances (Disposal) Regulations 2001. Further details regarding disposal can be obtained on the EPA New Zealand website under specific group standards. **Container Disposal** The container or packaging must be cleaned and rendered incapable of holding any

substance. It can then be disposed of in a manner consistent with that of the substance it contained. In this instance the packaging can be disposed through a commercial waste collection service. Alternatively, the container or packaging can be recycled if the hazardous residues have been thoroughly cleaned or rendered non-hazardous. In New Zealand, the packaging (that may or may not hold any residual substance) that is lawfully disposed of by householders or other consumers through a public or commercial waste collection service is a means of compliance with regulations.

14. Transport information

Australia:

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea. **New Zealand:**

Not classified as Dangerous Goods for transport according to the NZS 5433:2012 Transport of Dangerous Goods on Land.

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea. Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

U.N. Number

None Allocated

Proper Shipping Name

None Allocated							
DG Class							
None Allocated							
Packing Group							
None Allocated							
15. Regulatory information							
Safety, health and environmental	regulations specific for the product in question						
Australia							
National regulations							
Australia Medicines & Poisons Ap	pendix A/B/D/E/F/G/H/I/J/K / Australia Medicines & Poisons	s Schedule 2/3/4/5/6/7/8/9/10					
Poisons schedule number not alle							
High Volume Industrial Chemicals							
Isopropanol (CAS 67-63-0)	-	1000 - 9999 TONNES See the regulation for additional information.					
Importation of Ozone Deleting Sub	ostances (Customs(Prohibited imports) Regulations 1956, \$	Schedule 10)					
Not listed.							
National Pollutant Inventory (NPI)	substance reporting list						
Not listed.							
Prohibited Carcinogenic Substance	ces						
Not regulated.							
Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005							
(1994) as amended)							
Not listed.							
Resricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)							
Not listed.							
Restricted Carcinogenic Substances							
Not regulated.							
International regulations	Netennlieghle						
Stockholm Convention Not applicable.							
Rotterdam Convention Not applicable.							
Kyoto protocolNot applicable.Montreal ProtocolNot applicable.							
Basel Convention	Not applicable.						
New Zealand							
Applicable regulations							
•	nicals (NZIoC): Registration status						
Isopropyl alcohol (CAS 67-63-0)	HSNO Approved						
Inventory status:							
Country(s) or region	Inventory name	On inventory (yes/no)*					
Australia	Australian Inventory of Chemical Substances (AICS)	Not available.					
Canada	Domestic Substances List (DSL)	Not available.					
Canada	Non-Domestic Substances List (NDSL)	Not available.					
China	Inventory of Existing Chemical Substances in China	Not available.					
Europe	(IECSC) European Inventory of Existing Commercial Chemical	Not available.					
Europe	Substances (EINECS)						
Europe	European List of Notified Chemical Substances (ELINCS)	Not available.					
Japan	Inventory of Existing and New Chemical Substances	Not available.					
Japan	inventory of Existing and ivew chemical Substances	INUL AVAIIANIC.					

	(ENCS)	
Korea	Existing Chemicals List (ECL)	Not available.
New Zealand	New Zealand Inventory	Not available.
Philippines	Philippine Inventory of Chemicals and Chemical	Not available.
	Substances (PICCS)	
United States & Puerto Rico	ited States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Not available.	

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Indication of changes:	Version 1.1
Date of preparation or review:	2022.05.23
Key abbreviations or acronyms	CAS: Chemical Abstracts Service
used:	LC50: Lethal Concentration 50
	EC50: Concentration for 50% of maximal effect
	LD50: Lethal dose 50%
	MAC: maximum allowable concentration, MAC)
	PC-TWA: permissible concentration-time weighted average
	PC-STEL: permissible concentration-short term exposure limit
reference	Australia:
	Standard for the Uniform Scheduling of Medicines and Poisons.
	Approved criteria for classifying hazardous substances [NOHSC: 1008(2004)].
	National Code of Practice for the Preparation of Material Safety Data Sheets [NOHSC:
	2011(2003)].
	Australian Code for the Transport of Dangerous Goods by Road & Rail.
	Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted
	carcinogens and restricted hazardous chemicals.
	Workplace exposure standards for airborne contaminants, Safe work Australia.
	American Conference of Industrial Hygienists (ACGIH)
	New Zealand:
	Workplace Exposure Standards and Biological Exposure Indices
	Transport of Dangerous goods on land NZS 5433.
	Preparation of Safety Data Sheets - Approved Code of Practice Under the HSNO Act 1996 (HSNO
	CoP 8-1 0906).
	Assigning a hazardous substance to a group standard.
	American Conference of IndustriaLHygienists (ACGIH)