

SAFETY DATA SHEET

According to Work Health and Safety Regulations 2011 and National Model Code of Practice for the preparation of Safety Data Sheets for Hazardous Chemicals

Version 1.1

Issue date: 18/09/2019 Revision date: 23/05/2022 SDS Record Number: CSSS-TCO-010-128838

1. Identification of the material and supplier

Material name: L-DAB 150 Moderate Duty Air Compressor Oil

Other Names:

Recommended use: Suitable for lubrication and sealing of moderate duty reciprocating air compressor.

Manufacturer:

Supplier(Manufacturer): SINOPEC LUBRICANT CO.,LTD

Address: No. 6 Anning Zhuang West Road, Haidian District, Beijing, P.R.China

Contact person(E-mail): csc.lube@sinopec.com

Telephone: 86-800-810-9886 Fax: 86-10-82410856 **Emergency number:** 86-800-810-9886

Australia Supplier(Manufacturer): International Lubricant Distributors Pty. Ltd.

Address: 21 Logistics Boulevard, Kenwick Western Australia 6107

Contact person(E-mail): Telephone:

+61 8 9381 1788 Fax: **Emergency number:** 1300 558 939

New Zealand Supplier(Manufacturer): Waitomo Lubricants Limited (GST 104255744)

Address: 15 Ellis Street, Frankton, Hamilton, PO Box 5125, Hamilton 3242

Telephone: +64 7 847 0829 +64 7 846 0032 Fax:

Emergency number: +64 7 847 0829 (24 Hrs)

New Zealand Supplier(Manufacturer): MTS ENERGY LTD

Address: 44 Northcote Road, North Shore, Auckland 0627, New Zealand

Telephone: +64 9 480 8921 Fax: +64 9 480 8398 **Emergency number:** 0800 399 993 (24 Hrs)

New Zealand Supplier(Manufacturer): Ixom Operations Pty Ltd (Incorporated in Australia)

NZBN: 9429041465226

Address: 166 Totara Street, Mt Maunganui South, New Zealand

Contact person(E-mail):

Telephone: +64 9 368 2700 Fax: +64 9 368 2710

Emergency number: 0 800 734 607 (ALL HOURS)

2. Hazards identification

GHS classification:

Physical hazards: Not classified

Material name: L-DAB 150 Moderate Duty Air Compressor Oil SDS AUSTRALIA Version #: 1.1 Issue date: 18-09-2019. Revision date: 23-05-2022.

1 / 7

Health hazards: Not classified Environmental hazards: Not classified

GHS label elements:

Hazard Pictograms: No hazard pictogram is used.

Signal word: No signal word is used.

Hazard statement: Not applicable.

Precautionary statement:

Prevention:
Response:
Not applicable.
Storage:
Not applicable.
Not applicable.
Not applicable.
Specific hazards:
Not applicable.

| 3. Composition/information on ingredients | | | | | | |
|---|------------|-----------------|--|--|--|--|
| Components | CAS No. | Percent | | | | |
| Highly refined mineral oil | 64742-44-5 | 90 - 98 %weight | | | | |
| Additive | Mixture | 2% - 10%weight | | | | |

4. First aid measures

Inhalation: No specific first aid measures are required. If exposed to excessive levels of material in

the air, move the exposed person to fresh air. Get medical attention if coughing or

respiratory discomfort occurs.

Skin: No specific first aid measures are required. As a precaution, remove clothing and

shoes if contaminated. To remove the material from skin, use soap and water. Discard

contaminated clothing and shoes or thoroughly clean before reuse.

Eye: No specific first aid measures are required. As a precaution, remove contact lenses, if

worn, and flush eyes with water.

Ingestion: No specific first aid measures are required. Do not induce vomiting. As a precaution,

get medical advice.

Notes to physician: Treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media:

Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish flames.

Extinguishing media which must not be

used for safety reasons:

Not available.

Specific hazards arising from the

chemical:

A complex mixture of airborne solids, liquids, and gases including carbon monoxide, carbon dioxide, and unidentified organic compounds will be evolved when this material

undergoes combustion.

Fire Fighting: Fire-fighters should wear appropriate protective equipment and self-contained

breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

HAZCHEM code None.

6. Accidental release measures

Personal precautions: Eliminate all sources of ignition in vicinity of spilled material.

Containment procedures: Do not let product enter drains.

Methods for cleaning up: Stop the source of the release if you can do it without risk. Contain release to prevent

further contamination of soil, surface water or groundwater. Clean up spill as soon as possible, observing precautions in Exposure Controls/Personal Protection. Use appropriate techniques such as applying non-combustible absorbent materials or

Material name: L-DAB 150 Moderate Duty Air Compressor Oil

Version #: 1.1 Issue date: 18-09-2019. Revision date: 23-05-2022. SDS AUSTRALIA

2 / 7

pumping. Where feasible and appropriate, remove contaminated soil. Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations.

7. Handling and storage

Precautions for safe handling:

Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary but may not, by themselves, be sufficient. Review all operations which have the potential of generating and accumulating an electrostatic charge and/or a flammable atmosphere (including tank and container filling, splash filling, tank cleaning, sampling, gauging, switch loading, filtering, mixing, agitation, and vacuum truck operations) and use appropriate mitigating procedures. Container is not designed to contain pressure. Do not use pressure to empty container or it may rupture with explosive force. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage:

8. Exposure controls/personal protection

or Exposure controlorporcontal protection

Occupational exposure limits

Control parameters

US. ACGIH Threshold Limit Values

| COLUMN TIME COLUMN TANGE | | | | | | |
|---------------------------------|------|---------|---------------------|--|--|--|
| Material | Туре | Value | Form | | | |
| Highly refined mineral oil (CAS | TWA | 5 mg/m3 | Inhalable fraction. | | | |
| 64742-44-5) | | | | | | |

Follow standard monitoring procedures

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

Material Type Value Form

Highly refined mineral oil (CAS TWA 5 mg/m3 Respirable fraction.

64742-44-5)

Biological limit values:No biological exposure limits noted for the ingredient(s).

Exposure guidelinesNo exposure standards allocated.

Appropriate engineering controls: Use process enclosures, local exhaust ventilation or other engineering controls to keep

worker exposure to airborne contaminants below any recommended or statutory limits.

Personal protective equipment:

Eye/face protection: No special eye protection is normally required. Where splashing is possible, wear

safety glasses with side shields as a good safety practice.

Skin protection: No special protective clothing is normally required. Where splashing is possible, select

protective clothing depending on operations conducted, physical requirements and other substances in the workplace. Suggested materials for protective gloves include:

Neoprene, Nitrile Rubber.

Respiratory protection: No respiratory protection is normally required. No respiratory protection is ordinarily

required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material...If user operations generate an oil mist, determine if airborne concentrations are below the occupational exposure limit for mineral oil mist. If not, wear an approved respirator that provides adequate protection from the measured concentrations of this material. For air-purifying respirators use a particulate cartridge. Use a positive pressure

air-supplying respirator in circumstances where air-purifying respirators may not

provide adequate protection.

Hand protection: For prolonged or repeated contact use protective gloves.

9. Physical and chemical properties

Appearance:

Physical state: Liquid Form: Liquid

Color:

Flash point: (Cleveland Open Cup) 200 °C Minimum

Evaporation rate: Not available
Flammability (solid, gas): Not available
Upper/lower flammability or explosive Not available

limits:

Vapor pressure: <0.01 mmHg Maximum @ 37.8 °C (100 °F)

Vapor density: >1 Minimum(air=1)

Density: 0.88-0.93 kg/l @ 20°C (68°F) (Typical)

Solubility (H₂O): Soluble in hydrocarbon solvents; insoluble in water.

Partition coefficient (n-octanol/water): Not available
Auto-ignition temperature: Not available
Decomposition temperature: Not available

Viscosity, dynamic: 135mm2/s ∼165 mm2/s @ 40 °C (104°F) Minimum

Organic solvents:

Water:

VOC (EC):

Solids contents:

Molecular Formula:

Molecular Weight:

Not available

Not available

Not available

10. Stability and reactivity

Reactivity: The substance is stable under normal storage and handling conditions.

Chemical stability: Stable at room temperature in closed containers under normal storage and handling

conditions.

Possibility of hazardous reactions: No dangerous reactions known.

Conditions to avoid: Incompatible materials.

Incompatible materials: May react with strong acids or strong oxidizing agents, such as chlorates, nitrates,

peroxides, etc.

Hazardous decomposition products: A complex mixture of airborne solids, liquids, and gases including carbon monoxide,

carbon dioxide, and unidentified organic compounds will be evolved when this material

undergoes combustion.

11. Toxicological information

Toxicological data:

Acute toxicity:

Highly refined mineral oil(CAS#64742-44-5)

Material name: L-DAB 150 Moderate Duty Air Compressor Oil
Version #: 1.1 Issue date: 18-09-2019. Revision date: 23-05-2022.

SDS AUSTRALIA
4 / 7

LD50(Oral, Rat): > 5 000 mg/kg bw LD50(Dermal, Rabbit): > 5 000 mg/kg bw LC50(Inhalation, Rat): > 5.53 mg/L air 4h Skin corrosion/Irritation: No data available. Serious eye damage/irritation: No data available. Respiratory or skin sensitization: No data available Germ cell mutagenicity: No data available. Carcinogenicity: No data available. Reproductive toxicity: No data available. STOT- single exposure: No data available. No data available. STOT-repeated exposure: Aspiration hazard: No data available.

Other information This product has no known adverse effect on human health.

12. Ecological information

Toxicity:

Highly refined mineral oil(CAS#64742-44-5)

| Acute t | oxicity | Time | Species | Method | Evaluation | Remarks |
|---------|---------------|------|---------|----------|------------|---------|
| LL50 | > 100 mg/L | 96h | Fish | OECD 203 | N/A | N/A |
| EL50 | > 10 000 mg/L | 48h | Daphnia | OECD 202 | N/A | N/A |
| EC50 | N/A | 72h | Algae | OECD 201 | N/A | N/A |

Persistence and degradability: This material is not expected to be readily biodegradable. The biodegradability of this

material is based on an evaluation of data for the components or a similar material.

Bioaccumulative potential: Not available.

Mobility in soil: Not available.

Other adverse effects: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone

creation potential, endocrine disruption, global warming potential) are expected from

this component.

13. Disposal considerations

Disposal methods:Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Waste from residues/unused products: Dispose of in accordance with local regulations. Empty containers or liners may retain

some product residues. This material and its container must be disposed of in a safe

manner (see: Disposal instructions).

Contaminated packaging: Empty containers should be taken to an approved waste handling site for recycling or

disposal. Since emptied containers may retain product residue, follow label warnings

even after container is emptied.

14. Transport information

ADG

UN number Not regulated
Proper shipping name Not regulated
Hazard class Not regulated
Packing group Not regulated
Labels required Not regulated

Special precautions Read safety instructions, SDS and emergency procedures before handling.

IATA

UN number Not regulated
Proper shipping name Not regulated

Material name: L-DAB 150 Moderate Duty Air Compressor Oil

Version #: 1.1 Issue date: 18-09-2019. Revision date: 23-05-2022.

SDS AUSTRALIA

5 / 3

Hazard class Not regulated Packing group Not regulated

Special precautions Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number Not regulated
Proper shipping name Not regulated
Hazard class Not regulated
Packing group Not regulated

Environmental hazards

Marine pollutant No

Special precautions Read safety instructions, SDS and emergency procedures before handling.

Not regulated

Transport in bulk according to Annex II

of MARPOL 73/78 and the IBC Code:

15. Regulatory information

Safety, health and environmental regulations

National regulations This Safety Data Sheet was prepared in accordance with Australia Model Code of Practice for

the preparation of Safety Data Sheets for Hazardous Chemicals (23/12/2011). Additional

information is given in the Safety Data Sheet.

Australia Medicines & Poisons Appendix A/B/D/E/F/G/H/I/J/K / Australia Medicines & Poisons Schedule 10/2/3/4/5/6/7/8/9

Poisons schedule number not allocated.

High Volume Industrial Chemicals (HVIC)

Not listed.

Importation of Ozone Deleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10)

Not listed.

National Pollutant Inventory (NPI) substance reporting list

Not listed.

Prohibited Carcinogenic Substances

Not regulated.

Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)

Not listed.

Resricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)

Not listed

Restricted Carcinogenic Substances

Not regulated.

International regulations

Stockholm Convention

Not applicable

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

Inventory status:

Country(s) or region Inventory name On inventory

(yes/no)*

Australia Australian Inventory of Chemical Substances (AICS) Not available
Canada Domestic /Non-Domestic Substances List (DSL) /(NDSL) Not available

Material name: L-DAB 150 Moderate Duty Air Compressor Oil

Version #: 1.1 Issue date: 18-09-2019. Revision date: 23-05-2022. SDS AUSTRALIA

6 / 7

China Inventory of Existing Chemical Substances in China (IECSC) Not available Europe European Inventory of Existing Commercial/ Notified Chemical Substances Not available

(EINECS) / (ELINCS)

Inventory of Existing and New Chemical Substances (ENCS) Not available Japan Korea Existing Chemicals List (ECL) Not available New Zealand New Zealand Inventory Not available **Philippines** Philippine Inventory of Chemicals and Chemical Substances (PICCS) Not available Toxic Substances Control Act (TSCA) Inventory Not available United States & Puerto Rico

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Indication of changes: Version 1.1 Date of preparation or review: 2022.05.23 **Training instructions:** Not applicable.

Further information: This information is based upon the present state of our knowledge. This SDS has been

compiled and is solely intended for this product.

Notice to reader: Employers should use this information only as a supplement to other information gathered by

them, and should make independent judgment of suitability of this information to ensure

proper use and protect the health and safety of employees.

This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the

responsibility of the user.

Material name: L-DAB 150 Moderate Duty Air Compressor Oil SDS AUSTRALIA Revision date: 23-05-2022. Issue date: 18-09-2019. Version #: 1.1

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)