

## SAFETY DATA SHEET

# According to Work Health and Safety Regulations 2011 and National Model Code of Practice for the preparation of Safety Data Sheets for Hazardous Chemicals

Version 1.1

Issue date: 18/09/2019 Revision date: 23/05/2022 SDS Record Number: CSSS-TCO-010-129339

## 1. Identification of the material and supplier

Material name: SINOPEC Aqueous Urea Solution AUS 32

Other Names:

Recommended use: Applied to trucks and buses equipped with the SCR, to reduce the content of nitrogen

oxides in the exhaust gas.

Manufacturer:

Supplier(Manufacturer): SINOPEC LUBRICANT CO.,LTD

Address: No. 6 Anning Zhuang West Road, Haidian District, Beijing, P.R.China

Contact person(E-mail): csc.lube@sinopec.com

Telephone: 86-800-810-9886 Fax: 86-10-82410856 86-800-810-9886 **Emergency number:** 

Australia Supplier(Manufacturer): International Lubricant Distributors Pty. Ltd.

Address: 21 Logistics Boulevard, Kenwick, WA 6107, Australia

Contact person(E-mail): Telephone:

Fax: +61 8 9381 1788 **Emergency number:** 1300 558 939

New Zealand Supplier(Manufacturer): MTS ENERGY LTD

Address: PO BOX 302-133 North Harbour, Auckland 0751, New Zealand

Telephone: +64 9 480 8921 +64 9 480 8398 Fax:

**Emergency number:** 0800 399 993 (24 Hrs)

#### 2. Hazards identification

**GHS** classification:

Physical hazards: Not classified Health hazards: Not classified **Environmental hazards:** Not classified

**GHS label elements:** 

Hazard Pictograms: : No hazard pictogram is used. No signal word is used. Signal word:

Not applicable. **Hazard statement:** 

**Precautionary statement:** 

Prevention: Not applicable. Response: Not applicable. Storage: Not applicable. Disposal: Not applicable. Specific hazards: Not applicable.

Material name: SINOPEC Aqueous Urea Solution AUS 32 Version #: 1.1 Issue date: 18-09-2019. Revision date: 23-05-2022. 1 / 7

3. Composition/information on ingredients					
Components	CAS No.	Percent			
Urea	57-13-6	31.8~33.2%			
Water	7732-18-5	66.8~68.2%			

#### 4. First aid measures

**Inhalation:** Move exposed person to fresh air and provide oxygen. Get medical attention if

coughing or respiratory discomfort occurs.

**Skin:** As a precaution, remove clothing and shoes if contaminated. Avoid prolonged or

repeated contact with skin. Wash with soap and water to remove the material from

skin. Get medical attention.

Eye: Wash eyes with water for 15 minutes. If irritation occurs, get medical attention.

**Ingestion:** If large quantities of this material are swallowed, call a physician immediately. Do not

induce vomiting unless directed to do so by medical personnel. Never give anything by

mouth to an unconscious person.

Notes to physician: Treat symptomatically.

#### 5. Fire-fighting measures

Suitable extinguishing media: Products contain large amounts of water, so there is no limit to the types of fire

extinguishing medium, the choice of its surrounding area environment should be

considered. Spray, Carbon dioxide, foam, dry chemical and water fog.

Extinguishing media which must not be

used for safety reasons:

Not available

Specific hazards arising from the

chemical:

Incombustible, fire could cause the release of harmful vapors. When fire may produce carbon monoxide, nitrogen dioxide, nitrogen oxide and other organic matter such as

cracking of typical combustible components.

Fire Fighting: Fire-fighters should wear appropriate protective equipment and self-contained

breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

HAZCHEM code None.

#### 6. Accidental release measures

Personal precautions: Cut off the source of fire, immediately contact the workers, and keep other person stay

in safe areas. As much as possible cut off the source of leakage, prevent it access to sewers, drains, water. Comply with relevant fire procedures, and refer to chapter 8 of

the safety data sheet.

**Containment procedures:** Do not let product enter drains.

Methods for cleaning up: FOR LARGE SPILLS: Remove with vacuum truck or pump to storage/salvage vessels.

FOR SMALL SPILLS: Soak up residue with an absorbent such as clay, sand or other suitable material. Place in non-leaking container and seal tightly for proper disposal.

## 7. Handling and storage

Material name: SINOPEC Aqueous Urea Solution AUS 32 SDS AUSTRALIA
Version #: 1.1 Issue date: 18-09-2019. Revision date: 23-05-2022. 2 / 7

Precautions for safe handling: Avoid long or repeated contact with skin, thoroughly clean after contact. Prevent

damage of packaging and container, loading and unloading lightly when moving, Operators must receive special training; strictly abide by the operation procedures. To avoid oxidizing reaction. Avoid contact with the strong acid, hydrochloric acid, acid anhydride and chloroformate. Equipped with corresponding quantity of fire equipment and emergency handling equipment. When loading and unloading of 200 liters of bottled products, should wear protective shoes. Empty containers may remain inside.

Storage: Keep container sealed, do not store in open or unlabeled containers. Store in a cool,

dry place with adequate ventilation, keep away from strong oxidizer, sunlight, heat and

combustible. Storage temperature is -5°C ~25°C. Store in original container.

#### 8. Exposure controls/personal protection

**Control parameters** Follow standard monitoring procedures.

Occupational exposure limits No exposure limits noted for ingredient(s).

**Biological limit values:**No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** No exposure standards allocated.

Appropriate engineering controls: Use process enclosures, local exhaust ventilation or other engineering controls to keep

worker exposure to airborne contaminants below any recommended or statutory limits.

Personal protective equipment:

**Eye/face protection:** If may splash, use safety goggles please.

Skin protection: Under the condition of normal use, in addition to ordinary work clothes, do not need

special skin and body protection equipment. In case of splash, according to the actual situation of the workplace to choose suitable, non-permeable safety clothing and safety

shoes, recommended material is NBR.

**Respiratory protection:** Don't need to wear respiratory protective equipment under the condition of normal use.

If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, need to choose to conform to the requirements of the relevant laws and regulations of respiratory protection equipment. Specific content

consult the supplier of respiratory protection equipment.

Hand protection: Using the resistance to chemical corrosion protective gloves, such as the use of PVC

material gloves. Contaminated gloves timely replacement. Thoroughly clean with soap

and water after operation.

## 9. Physical and chemical properties

Appearance:

Physical state: Liquid Form: Liquid

Color: Colorless transparent
Odor: Slight ammoniacal.

Odour threshold: Not available

PH:  $9\sim11$  Melting point/Freezing point: -11.5 °C Initial boiling point and boiling range: 100 °C

Flash point:

Evaporation rate:

Not available

Not available

Flammability (solid, gas):

Upper/lower flammability or explosive

Not available

limits:

Vapor pressure: 6.4kPa @ 40°C Vapor density(Air = 1): Not available

Material name: SINOPEC Aqueous Urea Solution AUS 32

Version #: 1.1 Issue date: 18-09-2019. Revision date: 23-05-2022.

Density: 1087.0~1093.0kg/ m3 @ 20°C

Solubility (H2O): Soluble in water Solubility (Other): Not available

Partition coefficient (n-octanol/water):

Auto-ignition temperature: Not available

100°C **Decomposition temperature:** 

Viscosity: Not available Organic solvents: Not available Not available Water: VOC (EC): Not available Solids contents: Not available Not available Molecular Formula: Not available Molecular Weight: Not available **Pour Point:** 

## 10. Stability and reactivity

Reactivity: The substance is stable under normal storage and handling conditions.

Chemical stability: Stable at room temperature in closed containers under normal storage and handling

conditions.

Not available

Possibility of hazardous reactions: No dangerous reactions known.

Conditions to avoid: Extreme heat and high energy sources of ignition and strong oxidants.

Incompatible materials: Strong oxidants.

Hazardous decomposition products: Carbon monoxide, nitrogen dioxide, nitrogen oxide and other organic matter such as

cracking of typical combustible components.

## 11. Toxicological information

Toxicological data:

Acute toxicity: LD50(Oral, Rat):

LD50(Dermal, Rat): Not available LC50(Inhalation, Rat): Not available Skin corrosion/Irritation: No data available. Serious eye damage/irritation: No data available. Respiratory or skin sensitization: No data available. No data available. Germ cell mutagenicity: Carcinogenicity: No data available. Reproductive toxicity: No data available. STOT- single exposure: No data available. No data available. STOT-repeated exposure: **Aspiration hazard:** No data available.

Other information This product has no known adverse effect on human health.

#### 12. Ecological information

#### Toxicity:

Acute t	oxicity	Time	Species	Method	Evaluation	Remarks
LC50	N/A	96h	Fish	OECD 203	N/A	N/A
EC50	N/A	48h	Daphnia	OECD 202	N/A	N/A
EC50	N/A	72h	Algae	OECD 201	N/A	N/A

Persistence and degradability: Expected easily biodegradable.

Material name: SINOPEC Aqueous Urea Solution AUS 32 SDS AUSTRALIA Issue date: 18-09-2019. Revision date: 23-05-2022.

Bioaccumulative potential: Low potential for bio-accumulation.

Mobility in soil: Weaker soil adsorption.

Other adverse effects: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone

creation potential, endocrine disruption, global warming potential) are expected from

this component.

## 13. Disposal considerations

Disposal methods: Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Waste from residues/unused products: Dispose of in accordance with local regulations. Empty containers or liners may retain

some product residues. This material and its container must be disposed of in a safe

manner (see: Disposal instructions).

Contaminated packaging: Empty containers should be taken to an approved waste handling site for recycling or

disposal. Since emptied containers may retain product residue, follow label warnings

even after container is emptied.

## 14. Transport information

**ADG** 

Not regulated **UN** number Proper shipping name Not regulated Hazard class Not regulated **Packing group** Not regulated Labels required Not regulated

**Special precautions** Read safety instructions, SDS and emergency procedures before handling.

IATA

**UN** number Not regulated Proper shipping name Not regulated Hazard class Not regulated Packing group Not regulated

Special precautions Read safety instructions, SDS and emergency procedures before handling.

**IMDG** 

**UN** number Not regulated Proper shipping name Not regulated **Hazard class** Not regulated Packing group Not regulated

**Environmental hazards** 

Marine pollutant Nο

**Special precautions** Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II Not regulated

of MARPOL 73/78 and the IBC Code:

## 15. Regulatory information

Safety, health and environmental regulations

National regulations

Australia Medicines & Poisons Appendix A/D/E/F/G/H/I/J/K / Australia Medicines & Poisons Schedule 2/3/4/5/6/7/8/9/10

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix B

Urea (CAS 57-13-6)

**High Volume Industrial Chemicals (HVIC)** 

Urea (CAS 57-13-6) 100000 - 999999 TONNES See the regulation for additional information. Water (CAS 7732-18-5) 1000 - 9999 TONNES See the regulation for additional information.

Material name: SINOPEC Aqueous Urea Solution AUS 32 SDS AUSTRALIA Version #: 1.1 Issue date: 18-09-2019. Revision date: 23-05-2022. 5/7

#### Importation of Ozone Deleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10)

Not listed.

National Pollutant Inventory (NPI) substance reporting list

Not listed.

**Prohibited Carcinogenic Substances** 

Not regulated.

Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)

Not listed.

Resricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)

Not listed.

**Restricted Carcinogenic Substances** 

Not regulated.

International regulations

**Stockholm Convention** 

Not applicable

**Rotterdam Convention** 

Not applicable.

**Kyoto protocol** 

Not applicable.

**Montreal Protocol** 

Not applicable.

**Basel Convention** 

Not applicable.

#### Inventory status:

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic /Non-Domestic Substances List (DSL) /(NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial/ Notified Chemical	Yes
	Substances (EINECS) / (ELINCS)	
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### 16. Other information

Indication of changes: Version 1.1

Training instructions: Not applicable.

Further information: This information is based upon the present state of our knowledge. This SDS has been

compiled and is solely intended for this product.

Notice to reader: Employers should use this information only as a supplement to other information

gathered by them, and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees.

This information is furnished without warranty, and any use of the product not in

Material name: SINOPEC Aqueous Urea Solution AUS 32 SDS AUSTRALIA
Version #: 1.1 Issue date: 18-09-2019. Revision date: 23-05-2022. 6 / 7

conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.