

SAFETY DATA SHEET

According to Work Health and Safety Regulations 2011 and National Model Code of Practice for the

preparation of Safety Data Sheets for Hazardous Chemicals

Version 1.1

Issue date: 18/09/2019 Revision date: 23/05/2022

SDS Record Number: CSSS-TCO-010-117289

1. Identification of the material and supplier Material name: TULUX CF/SF 40 Diesel Engine Oil Other means of identification: Recommended use: Can be used in gasoline/diesel engine for lubricating, cooling and airproofing etc. Restrictions on use: Manufacturer: Supplier(Manufacturer): SINOPEC LUBRICANT CO., LTD Address: No. 6 Anning Zhuang West Road, Haidian District, Beijing, P.R.China Contact person(E-mail): csc.lube@sinopec.com **Telephone:** 86-800-810-9886 Fax: 86-10-82410856 **Emergency number:** 86-800-810-9886 Australia Supplier(Manufacturer): International Lubricant Distributors Pty. Ltd. Address: 21 Logistics Boulevard, Kenwick, WA 6107, Australia Contact person(E-mail): **Telephone:** Fax: +61 8 9381 1788 **Emergency number:** 1300 558 939 New Zealand Supplier(Manufacturer): MTS ENERGY LTD Address: PO BOX 302-133 North Harbour, Auckland 0751, New Zealand **Telephone:** +64 9 480 8921 +64 9 480 8398 Fax: **Emergency number:** 0800 399 993 (24 Hrs)

2. Hazards identification

Australia:

Not classified as Hazardous according to criteria of National Occupational Health and Safety Commission (NOHSC), Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition) **New Zealand:**

Not classified as Hazardous according to the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001, New Zealand. Not classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:2012 Transport of Dangerous Goods on Land.

GHS label elements:

| Hazard Pictograms: : | No hazard pictogram is used. |
|----------------------|------------------------------|
| Signal word: | No signal word is used. |
| Hazard statement: | Not applicable. |

| Precautionary statement: | |
|--------------------------------------|-----------------|
| Prevention: | Not applicable. |
| Response: | Not applicable. |
| Storage: | Not applicable. |
| Disposal: | Not applicable. |
| Other hazards which do not result in | Not applicable. |
| classification: | |

3. Composition/information on ingredients

| - | | | |
|------------|------------|---------|--|
| Components | CAS No. | Percent | |
| Base oil | 64742-44-5 | 80-90% | |
| Additive | Mixture | <20% | |

| 4. First aid measures | |
|--|--|
| Inhalation: | No specific first aid measures are required. If exposed to excessive levels of material in |
| | the air, move the exposed person to fresh air. Get medical attention if coughing or |
| | respiratory discomfort occurs. |
| Skin: | No specific first aid measures are required. As a precaution, remove clothing and shoes if |
| | contaminated. To remove the material from skin, use soap and water. Discard |
| | contaminated clothing and shoes or thoroughly clean before reuse. |
| Eye: | No specific first aid measures are required. As a precaution, remove contact lenses, if |
| | worn, and flush eyes with water. |
| Ingestion: | No specific first aid measures are required. Do not induce vomiting. As a precaution, get |
| | medical advice. |
| Symptoms caused by exposure: | Not available. |
| Medical Attention and Special Treatment: | Treat symptomatically. |

| 5. Fire-fighting measures | |
|---------------------------------------|--|
| Suitable extinguishing media: | Use water fog, foam, dry chemical or carbon dioxide (CO ₂) to extinguish flames. |
| Extinguishing media which must not be | Water. |
| used for safety reasons: | |
| Specific hazards arising from the | This material will burn although it is not easily ignited. Highly dependent on combustion |
| chemical: | conditions. A complex mixture of airborne solids, liquids, and gases including carbon |
| | monoxide, carbon dioxide, and unidentified organic compounds will be evolved when this |
| | material undergoes combustion. |
| Special protective equipment and | Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive |
| precautions for fire fighters: | pressure mode and full protective clothing to prevent exposure to vapors or fumes. Water |
| | spray may be used to cool down heat-exposed containers. Fight fire from safe location. |
| | This product should be prevented from entering drains and watercourses. |

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Avoid build up of vapor. Ensure sufficient supply of air. Avoid contact with eyes or skin. Contact with water - danger of sliding. Wear appropriate personal protective equipment and clothing to prevent exposure. Increase ventilation. Evacuate all unprotected

| Environmental precautions: | Do not allow material to be released to the environment without proper governmental |
|---------------------------------------|---|
| | permits. |
| Methods and materials for containment | Stop the source of the release if you can do it without risk. Clean up spill as soon as |
| and cleaning up: | possible, observing precautions in Exposure Controls/Personal Protection. Use |
| | appropriate techniques such as applying non-combustible absorbent materials or pumping. |
| | Where feasible and appropriate, remove contaminated soil. Place contaminated materials |
| | in disposable containers and dispose of in a manner consistent with applicable regulations. |

personnel.

| 7. Handling and storage | |
|---|---|
| Precautions for safe handling: | Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary but may not, by themselves, be sufficient. Review all operations which have the potential of generating and accumulating an electrostatic charge and/or a flammable atmosphere (including tank and container filling, splash filling, tank cleaning, sampling, gauging, switch loading, filtering, mixing, agitation, and vacuum truck operations) and use appropriate mitigating procedures. |
| Conditions for safe storage, including any incompatibilities: | Store in original containers. Keep containers securely sealed. No smoking, naked lights or ignition sources. Store in a cool, dry, well-ventilated area. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. |
| Storage regulation | Classified as a Class C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS1940. This product should be stored and used in a well-ventilated area away from naked flames, sparks and other sources of ignition. |

| 8. Exposure | controls/ | personal | protection |
|-------------|-----------|----------|------------|
|-------------|-----------|----------|------------|

Control parameters – exposure standards, biological monitoring:

Not available

Exposure Levels

Occupational exposure limits:

| Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A) | | | | |
|---|----------------|----------------|----------------|--|
| Components | Туре | Value | Form | |
| Not available. | Not available. | Not available. | Not available. | |
| Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment) | | | | |
| Components Type Value Form | | | | |
| Not available. | Not available. | Not available. | Not available. | |

No exposure standards have been established for this material.

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

Appropriate engineering controls:

Provide sufficient ventilation to keep airborne levels as low as possible. Where vapours or mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a local exhaust ventilation system is required.

Personal protective equipment:

| Eye/face protection: | No special eye protection is normally required. Where splashing is possible, wear safety | |
|-------------------------|--|--|
| | glasses with side shields as a good safety practice. | |
| Skin protection: | No special protective clothing is normally required. Where splashing is possible, select | |
| | protective clothing depending on operations conducted physical requirements and other | |
| | substances in the workplace. | |
| Respiratory protection: | No respiratory protection is normally required. No respiratory protection is ordinarily | |
| | required under normal conditions of use. In accordance with good industrial hygiene | |
| | practices, precautions should be taken to avoid breathing of materiallf user operations | |
| | generate an oil mist, determine if airborne concentrations are below the occupational | |
| | exposure limit for mineral oil mist. If not, wear an approved respirator that provides | |
| | adequate protection from the measured concentrations of this material. For air-purifying | |
| | respirators use a particulate cartridge. Use a positive pressure air-supplying respirator in | |
| | circumstances where air-purifying respirators may not provide adequate protection. | |
| Hand protection: | Suggested materials for protective gloves include: Neoprene, Nitrile Rubber. | |

9. Physical and chemical properties

Information on basic physical and chemical properties

| Appearance: | |
|---|---------------------------------|
| Physical state: | Liquid |
| Form: | Oily liquid |
| Color: | Transparent, brown |
| Odor: | Odorless or slight odor |
| Odour threshold: | Not available |
| PH: | Not available |
| Melting point/Freezing point: | Not available |
| Boiling point and boiling range: | Not available |
| Flash point: | 250 °C (Open Cup)(typical) |
| Evaporation rate: | Not available |
| Flammability (solid, gas) : | Not available |
| Upper/lower flammability or explosive | Not available |
| limits: | |
| Vapor pressure: | Not available |
| Vapor density: | Not available |
| Density: | 0.80kg/L~0.90kg/L (20°C) |
| Solubility (H ₂ O) : | Insoluble in water. |
| Partition coefficient (n-octanol/water) : | > 6 (estimated value) |
| Auto-ignition temperature: | >260°C |
| Decomposition temperature: | Not available |
| Viscosity, dynamic: | 12.5 mm2/s – 16.3 mm2/s (100°C) |
| Specific heat value: | Not available |
| Particle size: | Not available |
| Volatile organic compounds content: | Not available |
| % volatile: | Not available |
| Saturated vapour concentration: | Not available |
| Release of invisible flammable vapours | Not available |
| and gases: | |

| Additional parameters | |
|---|---------------|
| Shape and aspect ratio: | Not available |
| Crystallinity: | Not available |
| Dustiness: | Not available |
| Surface area: | Not available |
| Degree of aggregation or agglomeration: | Not available |
| Ionisation (redox potential): | Not available |
| Biodurability or biopersistence: | Not available |

10. Stability and reactivity

| Stable under recommended transport or storage conditions. |
|---|
| Stable under normal temperatures and pressures. |
| May react with strong oxidizing agents. |
| Incompatible materials. Avoid extreme temperatures, sun exposure, the fire source. |
| Strong oxidizing agents, such as chlorates, nitrates, peroxides, etc. |
| A complex mixture of airborne solids, liquids, and gases including carbon monoxide, |
| carbon dioxide, and unidentified organic compounds will be evolved when this material |
| undergoes combustion. |
| |

11. Toxicological information

| - | |
|---------------------------------------|---|
| Toxicological data: | |
| Acute toxicity: | |
| LD50(Oral, Rat): | >5g/kg |
| LD50(Dermal, Rabbit): | >5g/kg |
| LC50(Inhalation, Rat): | >10g/m ³ |
| Acute toxicity: | |
| Base oil (CAS: 64742-44-5) | |
| LD50(Oral, Rat): | > 5000 mg/kg bw |
| LD50(Dermal, Rabbit): | > 2000 mg/kg bw |
| LC50(Inhalation, Rat): | 2.18 mg/L air |
| Skin corrosion/Irritation: | No data available. |
| Serious eye damage/irritation: | No data available. |
| Respiratory or skin sensitization: | No data available. |
| Germ cell mutagenicity: | No data available. |
| Carcinogenicity: | No data available. |
| Reproductive toxicity: | No data available. |
| STOT- single exposure: | No data available. |
| STOT-repeated exposure: | No data available. |
| Aspiration hazard: | No data available. |
| Other information | This product has no known adverse effect on human health. |
| Information on routes of exposure | No data available. |
| Symptoms related to exposure | No data available. |
| Numerical measures of toxicity | No data available. |
| Immediate, delayed and chronic health | No data available. |
| effects from exposure | |
| | |

12. Ecological information

| Ecotoxicity: | | | | | | | | |
|------------------|----------|-----------|---|-------------------|--|-------------------|-------------------|------------------|
| | Acute | toxicity | Time | Species | Method | Evaluation | Remarks |] |
| | LC50 | N/A | 96h | Fish | OECD 203 | N/A | N/A | |
| | EC50 | N/A | 48h | Daphnia | OECD 202 | N/A | N/A | 1 |
| | EC50 | N/A | 72h | Algae | OECD 201 | N/A | N/A | 1 |
| Persistence an | d degrad | dability: | This materia | I is not expecte | ed to be readily bi | odegradable. | | 1 |
| Bioaccumulati | ve poten | tial: | This material contains components with potential to bioaccumulation. | | | | | |
| Mobility in soil | : | | If into the so | il, this material | will be adsorbed | and not flow. | | |
| Other adverse | effects: | | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone | | | | | |
| | | | creation pot | ential, endocrii | ne disruption, glo | bal warming po | otential) are exp | pected from this |
| | | | component. | | | | | |
| | | | | | | | | |
| 13. Disposa | l consi | derations | | | | | | |
| Safe handling | - | | | reclaim or dispo | ose in sealed con | tainers at licens | ed waste dispo | sal site. |
| Disposal of an | y contan | | Australia: | | | | | |
| packaging: | | | • | • | or waste materia | al must be done | in accordance | with applicable |
| | | | | tional regulatio | ns. | | | |
| | | | New Zealan | | | | | |
| | | | Product Dis | - | | | | |
| | | | | | olled wastes and | - | | |
| | | | | | al regulations. Th | - | - | - |
| | | | | | on service. In th | - | - | |
| | | | | | an be sent to an a | | - | - |
| | | | - | - | ve clothing and e | | | |
| | | | | - | ing and disposal ion must be follo [,] | - | | - |
| | | | - | | ing must also be | - | - | |
| | | | | | into drains or wat | | - | - |
| | | | - | - | n New Zealand, t | | | |
| | | | - | | ardous Substance | | - | |
| | | | | | obtained on the E | | - | |
| | | | standards. | opecal can be | | | | si opeenie group |
| | | | Container E | Disposal | | | | |
| | | | | - | ng must be clea | aned and rende | ered incapable | of holding anv |
| | | | | | disposed of in a | | - | |
| | | | | | the packaging | | | |
| | | | | | vely, the containe | • | • | |
| | | | | | - | | 2 | |

14. Transport information

Australia:

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea. **New Zealand:**

Not classified as Dangerous Goods for transport according to the NZS 5433:2012 Transport of Dangerous Goods on Land.

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea. Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

U.N. Number

None Allocated

Proper Shipping Name

None Allocated

DG Class

None Allocated

Packing Group

None Allocated

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

Australia:

Not classified as Hazardous according to criteria of National Occupational Health and Safety Commission (NOHSC), Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

New Zealand:

Not classified as Hazardous according to the New Zealand Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001.

| Αι | ustralia HVIC: Listed substance |
|----|---|
| | Not available. |
| Ne | ew Zealand Location Test Certificate |
| | Subject to Regulation 55 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations a location test certificate is |
| | required when quantity greater than or equal to those indicated below are present |

| required when quantity gr | required when quantity greater than or equal to those indicated below are present. | | |
|---------------------------|--|---------------------------------------|--|
| Hazard Class | Quantity beyond which controls apply | Quantity beyond which controls apply | |
| | for closed containers | when use occurring in open containers | |
| Not Applicable | Not Applicable | Not Applicable | |

New Zealand Approved Handler

Subject to Regulation 56 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations, the substance must be under the personal control of an Approved Handler when present in a quantity greater than or equal to those indicated below.

| Class of substance | Quantities | |
|----------------------|--|------------------------|
| Not Applicable | Not Applicable | |
| Inventory status: | | |
| Country(s) or region | Inventory name | On inventory (yes/no)* |
| Australia | Australian Inventory of Chemical Substances (AICS) | Not available. |
| Canada | Domestic Substances List (DSL) | Not available. |

| Canada | Non-Domestic Substances List (NDSL) | Not available. |
|-----------------------------|--|----------------|
| China | Inventory of Existing Chemical Substances in China | Not available. |
| | (IECSC) | |
| Europe | European Inventory of Existing Commercial Chemical | Not available. |
| | Substances (EINECS) | |
| Europe | European List of Notified Chemical Substances (ELINCS) | Not available. |
| Japan | Inventory of Existing and New Chemical Substances | Not available. |
| | (ENCS) | |
| Korea | Existing Chemicals List (ECL) | Not available. |
| New Zealand | New Zealand Inventory | Not available. |
| Philippines | Philippine Inventory of Chemicals and Chemical | Not available. |
| | Substances (PICCS) | |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Not available. |

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

| 16. Other information | | | |
|--------------------------------|---|--|--|
| Indication of changes: | Version 1.1 | | |
| Date of preparation or review: | 2022.05.23 | | |
| Key abbreviations or acronyms | CAS: Chemical Abstracts Service | | |
| used: | LC50: Lethal Concentration 50 | | |
| | EC50: Concentration for 50% of maximal effect | | |
| | LD50: Lethal dose 50% | | |
| | MAC: maximum allowable concentration, MAC) | | |
| | PC-TWA: permissible concentration-time weighted average | | |
| | PC-STEL: permissible concentration-short term exposure limit | | |
| reference | Australia: | | |
| | Standard for the Uniform Scheduling of Medicines and Poisons. | | |
| | Approved criteria for classifying hazardous substances [NOHSC: 1008(2004)]. | | |
| | National Code of Practice for the Preparation of Material Safety Data Sheets [NOHSC: | | |
| | 2011(2003)]. | | |
| | Australian Code for the Transport of Dangerous Goods by Road & Rail. | | |
| | Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted | | |
| | carcinogens and restricted hazardous chemicals. | | |
| | Workplace exposure standards for airborne contaminants, Safe work Australia. | | |
| | American Conference of Industrial Hygienists (ACGIH) | | |
| | New Zealand: | | |
| | Workplace Exposure Standards and Biological Exposure Indices | | |
| | Transport of Dangerous goods on land NZS 5433. | | |
| | Preparation of Safety Data Sheets - Approved Code of Practice Under the HSNO Act 1996 (HSNO | | |
| | СоР 8-1 0906). | | |
| | Assigning a hazardous substance to a group standard. | | |
| | American Conference of IndustriaLHygienists (ACGIH) | | |