

According to Work Health and Safety Regulations 2011 and National Model Code of Practice for the preparation of Safety Data Sheets for Hazardous Chemicals

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier name INTERNATIONAL LUBRICANT DISTRIBUTORS
Address 21 Logistics Bvd, Kenwick WA 6107, AUSTRALIA

Telephone 1300 558 939

Fax

Emergency 1300 558 939

Synonym(s) ILD PREMIUM DRILL ROD THREAD GREASE

Use(s) GREASE • INDUSTRIAL APPLICATIONS • MINING INDUSTRY

SDS date 1 February 2024

2. HAZARDS IDENTIFICATION

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

Risk Phrases

None allocated

Safety Phrases

None allocated

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

UN NumberNone AllocatedTransport Hazard ClassNone AllocatedPacking GroupNone AllocatedHazchem CodeNone Allocated

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS Number	EC Number	Content
ZINC POWDER - ZINC DUST (STABILISED)	7440-66-6	231-175-3	1 to 5%
LITHIUM COMPLEX GREASE	-	-	>60%
COPPER	7440-50-8	231-159-6	<10%
HIBLACK 20L	-	-	<5%
MOLYBDENUM DISULPHIDE	1317-33-5	215-263-9	1 to 5%
LUBRIZOL VISCOSITY MODIFIER	-	-	<2%

4. FIRST AID MEASURES

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until

advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running

water. Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

Ingestion For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If

swallowed, do not induce vomiting.

Page 1 of 8 SDS Date: 1 February 2024



Advice to doctor Manufacturer states grease gun injuries require immediate hospital treatment.

5. FIRE FIGHTING MEASURES

Flammability Combustible. May evolve toxic gases (carbon/ sulphur oxides, hydrocarbons) when heated to

decomposition.

Fire and explosion Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation.

Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers

and nearby storage areas.

Extinguishing Dry agent, carbon dioxide or foam. Prevent contamination of drains and waterways.

Hazchem code None Allocated

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Clear area of all

unprotected personnel. Ventilate area where possible.

Environmental precautions Prevent product from entering drains and waterways.

Methods of cleaning up Contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite,

sand, or similar), collect and place in suitable containers for disposal.

References See Sections 8 and 13 for exposure controls and disposal.

7. STORAGE AND HANDLING

Storage Store in a cool, dry, well ventilated area, removed from incompatible substances, heat or ignition

sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Check regularly for leaks or spills. Large storage areas should have

appropriate fire protection systems.

Handling Before use carefully read the product label. Use of safe work practices are recommended to avoid

eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before

eating. Prohibit eating, drinking and smoking in contaminated areas.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure standards

Ingredient	Reference	Reference ppm		STEL	
Ingredient	Reference			ppm	mg/m³
Copper (fume)	SWA (AUS)		0.2		
Copper, dusts & mists (as Cu)	SWA (AUS)		1		
Insoluble Molybdenum compounds	SWA (AUS)		10		
Zinc oxide (dust)	SWA (AUS)		10		

Biological limits No biological limit allocated.

Engineering controls Avoid inhalation. Use in well ventilated areas. Manufacturer recommends local exhaust ventilation

and/or enclosure of the process.

Page 2 of 8 SDS Date: 1 February 2024



PPE

Eye / Face Wear splash-proof goggles.

Hands Wear PVC or rubber gloves. With prolonged use, wear viton (R) or nitrile gloves.
 Body When using large quantities or where heavy contamination is likely, wear coveralls.
 Respiratory Where an inhalation risk exists, wear a Type A (Organic vapour) respirator.



9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance DARK GREY/BLACK GREASE

Odour MINERAL OIL ODOUR Flammability CLASS C2 COMBUSTIBLE

Flash point > 220°C

Boiling point NOT AVAILABLE
Melting point NOT AVAILABLE
Evaporation rate NOT AVAILABLE
pH NOT AVAILABLE
Vapour density NOT AVAILABLE

Specific gravity 0.976 Solubility (water) **INSOLUBLE NOT AVAILABLE** Vapour pressure Upper explosion limit **NOT AVAILABLE** Lower explosion limit **NOT AVAILABLE NOT AVAILABLE** Partition coefficient **NOT AVAILABLE Autoignition temperature NOT AVAILABLE Decomposition temperature** Viscosity NOT AVAILABLE

Explosive properties NOT AVAILABLE
Oxidising properties NOT AVAILABLE
Odour threshold NOT AVAILABLE
% Volatiles NOT AVAILABLE

10. STABILITY AND REACTIVITY

Chemical stability Stable under recommended conditions of storage.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources.

Material to avoid Incompatible with oxidising agents (e.g. hypochlorites), acids (e.g. nitric acid), alkalis (e.g. sodium

hydroxide), heat and ignition sources.

Hazardous Decomposition

Products

May evolve toxic gases (carbon/ sulphur oxides, hydrocarbons) when heated to decomposition.

Hazardous Reactions Polymerization is not expected to occur.

11. TOXICOLOGICAL INFORMATION

Health HazardLow toxicity. Use safe work practices to avoid eye or skin contact and inhalation. The mineral oil **Summary**contained within this product is highly refined and therefore is not classifiable as to its carcinogenicity

in humans (IARC Group 3).

Eye Low to moderate irritant. Contact may result in mild irritation, lacrimation and redness.

Inhalation Low to moderate irritant. Due to product form / nature of use, an inhalation hazard is not anticipated

with normal use. However, if product is heated or mists generated, exposure may result in respiratory

Page 3 of 8

SDS Date: 1 February 2024



ILD PREMIUM DRILL ROD THREAD GREASE

irritation, headache and nausea.

Skin

Ingestion

Low irritant. Prolonged or repeated contact may result in mild irritation, rash and dermatitis.

Low toxicity. Ingestion of large quantities may result in nausea, vomiting, abdominal pain, diarrhoea, and drowsiness. Aspiration or inhalation may cause chemical pneumonitis and pulmonary oedema.

Page 4 of 8 SDS Date: 1 February 2024



Toxicity data COPPER (7440-50-8)

LD50 (skin) > 2000 mg/kg (rat)

12. ECOLOGICAL INFORMATION

Toxicity May be toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Persistence and degradability This product is not readily biodegradable.

Bioaccumulative potential No information provided.

Mobility in soil Limited information was available at the time of this review.

Other adverse effects Mineral oils biodegrade slowly and should not be released to waterways or soil. They can float on

water, restricting oxygen exchange with possible asphyxiation of aquatic life.

13. DISPOSAL CONSIDERATIONS

Waste disposal For small amounts, absorb with sand, vermiculite or similar and dispose of to an approved landfill

site. Contact the manufacturer/supplier for additional information if disposing of large quantities (if required). Prevent contamination of drains and waterways as aquatic life may be threatened and

environmental damage may result.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE. IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
UN Number	None Allocated	None Allocated	None Allocated
Proper Shipping Name	None Allocated	None Allocated	None Allocated
Transport Hazard Class	None Allocated	None Allocated	None Allocated
Packing Group	None Allocated	None Allocated	None Allocated

Environmental hazards

No information provided

Special precautions for user

Hazchem code None Allocated

15. REGULATORY INFORMATION

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard

for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Inventory Listing(s) AUSTRALIA: AICS (Australian Inventory of Chemical Substances)

All components are listed on AICS, or are exempt.

16. OTHER INFORMATION

Additional information

MINERAL OILS - SOLVENT REFINED: Animal experiments and human experience have not shown cancer risks when handling solvent refined mineral oils, unlike non refined mineral oils. CLEANING MINERAL OIL CONTAMINATED CLOTHING: Cleaners are advised that when cleaning oil

Page 5 of 8

SDS Date: 1 February 2024



ILD PREMIUM DRILL ROD THREAD GREASE

contaminated clothing it is essential that freshly distilled solvent is used for each batch, including final rinse, as even filtered solvent will leave oil residues.

Page 6 of 8 SDS Date: 1 February 2024



ILD PREMIUM DRILL ROD THREAD GREASE

MINERAL OILS - INJECTION: Where high pressure applications are used the risk of accidental injection under the skin exists and may result in an extremely painful and serious injury requiring immediate medical attention. Depending on the pressure used, mineral oils may be injected a considerable distance below the skin and may cause permanent tissue damage. SEEK IMMEDIATE MEDICAL ATTENTION. EXERCISE EXTREME CARE WHEN USING HIGH PRESSURE EQUIPMENT.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a ChemAlert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations

ACGIH	Ame	rica	n Co	nfer	rence	of C	Sovernmental	Indus	trial	Hygieni	sts
~ . ~	~.										

CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds

CNS Central Nervous System

EC No. EC No - European Community Number

GHS Globally Harmonized System

IARC International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per Cubic Metre
OEL Occupational Exposure Limit
PEL Permissible Exposure Limit

pH relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly

alkaline).

ppm Parts Per Million

REACH Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure)
STOT-SE Specific target organ toxicity (single exposure)

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

SWA Safe Work Australia
TLV Threshold Limit Value
TWA Time Weighted Average

Revision history

Revision	Description
1.2	Standard SDS Review
1.1	Standard SDS Review
1.0	Initial SDS creation

Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Page 7 of 8

SDS Date: 1 February 2024



ILD PREMIUM DRILL ROD THREAD GREASE

Revision: 1.2

SDS Date: 1 February 2024

End of SDS

Page 8 of 8 SDS Date: 1 February 2024