

## SAFETY DATA SHEET

## According to Work Health and Safety Regulations 2011 and National Model Code of Practice for the preparation of Safety Data Sheets for Hazardous Chemicals

Version 1.0

Issue date: 23/10/2019 Revision date: 23/05/2022

SDS Record Number: CSSS-TCO-010-132687

## 1. Identification of the material and supplier

Material name: High and Low Temperature Grease 7036(220)

Other means of identification: Light Yellow Smooth Buttery

Recommended use: Grease 7036(220) is an extreme pressure grease recommended for tough industrial

> applications. It provides outstanding bearing protection under heavy loads at low-to-moderate speeds and in applications where water resistance is a critical factor.

Restrictions on use:

Manufacturer:

Supplier(Manufacturer): SINOPEC LUBRICANT CO.,LTD

Address: No. 6 Anning Zhuang West Road, Haidian District, Beijing, P.R.China

Contact person(E-mail): csc.lube@sinopec.com

Telephone: 86-800-810-9886 Fax: 86-10-82410856 **Emergency number:** 86-800-810-9886

Australia Supplier(Manufacturer): International Lubricant Distributors Pty. Ltd.

Address: 21 Logistics Boulevard, Kenwick, WA 6107, Australia

Contact person(E-mail):

Telephone:

Fax: +61 8 9381 1788 **Emergency number:** 1300 558 939

New Zealand Supplier(Manufacturer): MTS ENERGY LTD

PO BOX 302-133 North Harbour, Auckland 0751, New Zealand Address:

Telephone: +64 9 480 8921 Fax: +64 9 480 8398

**Emergency number:** 0800 399 993 (24 Hrs)

## 2. Hazards identification

#### Australia:

Not classified as Hazardous according to criteria of National Occupational Health and Safety Commission (NOHSC), Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

#### **New Zealand:**

Not classified as Hazardous according to the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001, New Zealand. Not classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:2012 Transport of Dangerous Goods on Land.

**GHS** label elements:

**Hazard Pictograms::** No hazard pictogram is used.

SDS Australia&New Zealand Material name: High and Low Temperature Grease 7036(220) Version #: 1.1 Issue date: 23-10-2019. 1 / 8

Revision date: 23-05-2022.



Signal word: No signal word is used.

Hazard statement: Not applicable.

**Precautionary statement:** 

Prevention:

Response:

Storage:

Disposal:

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Not applicable.

classification:

3. Composition/information on ingredients		
0	040 N-	

Components	CAS No.	Percent
Base oil	Mixture	From 80 to 90 percent
Thickener	Mixture	From 12 to 18 percent
Additive	Mixture	Not more than 5 percent

## 4. First aid measures

Inhalation:Remove wounded person and provide oxygen. See a doctor if necessarily.Skin:Firstly, clean the grease, then flush with soap water. See a doctor if necessarily.

Eye: Flush with water for 15 minutes. If irritation occurs, see a doctor.

**Ingestion:** Do not induce vomiting. See a doctor immediately.

Symptoms caused by exposure: Not available.

Medical Attention and Special Treatment: Treat symptomatically.

## 5. Fire-fighting measures

**Suitable extinguishing media:** Carbon dioxide, foam, dry chemical and water.

Extinguishing media which must not be

used for safety reasons:

Spray

Specific hazards arising from the

chemical:

Smoke, carbon monoxide, carbon dioxide and other decomposition products, in the case

of incomplete combustion.

Special protective equipment and

precautions for fire fighters:

This material will burn although it is not easily ignited. For fires involving this material, do not enter any enclosed or confined fire space without proper protective equipment,

including self-contained breathing apparatus.

#### 6. Accidental release measures

Personal precautions, protective Avoid build up of vapor. Ensure sufficient supply of air. Avoid contact with eyes or skin.

equipment and emergency procedures:

Contact with water - danger of sliding. Wear appropriate personal protective equipment

and clothing to prevent exposure. Increase ventilation. Evacuate all unprotected

personnel. Eliminate all sources of ignition in vicinity of spilled material.

Environmental precautions: If leakage occurs, dam up. Prevent surface and ground-water infiltration, as well as ground

penetration. Prevent from entering drainage system. If accidental entry into drainage

system occurs, inform responsible authorities.

Methods and materials for containment

and cleaning up:

Clean up residue with absorbent such as clay, sand or other suitable materials. Take all measures to prohibit grease from entering into sewer. Tag on the castoff. Call the police if

Material name: High and Low Temperature Grease 7036(220)

Version #: 1.1

Issue date: 23-10-2019.

Revision date: 23-05-2022.

2 /8



large spill.

## 7. Handling and storage

Precautions for safe handling: Containers, even those that have been emptied, may contain explosive vapors. Do NOT

> cut, drill, grind, weld or perform similar operations on or near containers. Electrostatic discharge may be generated during pumping - this may result in fire. Ensure electrical

continuity by bonding and grounding (earthing) all equipment.

Conditions for safe storage, including any

incompatibilities:

ventilation. Keep away from open flames and high temperatures. Storage regulation

Container is not designed to contain pressure. Do not use pressure to empty container or it may rupture with explosive force. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioned or

Do not store in open or unlabeled containers. Store in a cool, dry place with adequate

disposed of properly.

## 8. Exposure controls/personal protection

Control parameters - exposure

Not available

standards, biological monitoring:

**Exposure Levels** 

Occupational exposure limits:

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)				
Components	Туре	Value	Form	
Not available.	Not available.	Not available. Not available.	Not available.	
Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Er			the Occupational Environment)	
Components	Туре	Value	Form	
Not available.	Not available.	Not available.	Not available.	

No exposure standards have been established for this material.

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

Appropriate engineering controls: Provide sufficient ventilation to keep airborne levels as low as possible. Where vapours or

mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a

local exhaust ventilation system is required.

Personal protective equipment:

Eye/face protection: No need for specific protection under normal use conditions.

Skin protection: Use protective gloves which can be resistant to oil and chemical materials.

Respiratory protection: No need for specific protection under normal use conditions.

Hand protection: Suggested materials for protective gloves include: Neoprene, Nitrile Rubber.

## 9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance:

Physical state: Light Yellow Smooth Buttery

Form: Liquid

Material name: High and Low Temperature Grease 7036(220) SDS Australia&New Zealand Version #: 1.1 Issue date: 23-10-2019. Revision date: 23-05-2022. 3 /8

# SINOPEC

Color: Light Yellow Odor: Light odor

**Odour threshold:** Not available PH: Not available

>250°C Melting point/Freezing point:

Not available Boiling point and boiling range: Flash point: Not available **Evaporation rate:** Not available Not available Flammability (solid, gas): Not available

Upper/lower flammability or explosive

limits:

Vapor pressure: Not available

Vapor density: Not available Density: Not available

Solubility (H<sub>2</sub>O): Not available Partition coefficient (n-octanol/water): Not available

**Auto-ignition temperature:** Not available Not available **Decomposition temperature:** 

Viscosity, dynamic: Not available

Specific heat value: Not available Not available Particle size:

Volatile organic compounds content: Not available % volatile: Not available

Saturated vapour concentration: Not available Not available

Release of invisible flammable vapours

and gases:

**Additional parameters** 

Shape and aspect ratio: Not available Crystallinity: Not available **Dustiness:** Not available Surface area: Not available Degree of aggregation or agglomeration: Not available Not available Ionisation (redox potential): Biodurability or biopersistence: Not available

## 10. Stability and reactivity

Reactivity: Stable under recommended transport or storage conditions.

Chemical stability: Stable under normal temperatures and pressures.

Possibility of hazardous reactions: Contact with strong oxidants.

Conditions to avoid: Extreme heat and high energy sources of ignition and strong oxidizers.

Incompatible materials: Strong acids or strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.

Hazardous decomposition products: Smoke, carbon monoxide, carbon dioxide and other decomposition products.

## 11. Toxicological information

Toxicological data:

Acute toxicity:

Material name: High and Low Temperature Grease 7036(220) SDS Australia&New Zealand Version #: 1.1 Issue date: 23-10-2019. Revision date: 23-05-2022.



LD50(Oral, Rat): >2000mg/kg LD50(Dermal, Rabbit): Not available LC50(Inhalation, Rat): > 5mg/kg

Skin corrosion/Irritation: No data available. Serious eye damage/irritation: No data available. No data available. Respiratory or skin sensitization: Germ cell mutagenicity: No data available. Carcinogenicity: No data available. No data available. Reproductive toxicity: STOT- single exposure: No data available. No data available. STOT-repeated exposure: **Aspiration hazard:** No data available.

Other information This product has no known adverse effect on human health.

Information on routes of exposure No data available. Symptoms related to exposure No data available. No data available. **Numerical measures of toxicity** Immediate, delayed and chronic health No data available.

effects from exposure

## 12. Ecological information

## **Ecotoxicity:**

Acute toxicity		Time	Species	Method	Evaluation	Remarks
LC50	N/A	96h	Fish	OECD 203	N/A	N/A
EC50	N/A	48h	Daphnia	OECD 202	N/A	N/A
EC50	N/A	72h	Algae	OECD 201	N/A	N/A

Persistence and degradability: This product is expected to be inherently biodegradable.

Bioaccumulative potential: Poorly soluble mixture and can not be absorbed by aquatic organisms. Product is expected

to be practically non-toxic to aquatic organisms.

Mobility in soil: When product is released into the environment, soil will be destroyed.

Other adverse effects: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone

creation potential, endocrine disruption, global warming potential) are expected from this

component.

## 13. Disposal considerations

Safe handling and disposal methods: Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Disposal of any contaminated packaging:

The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.

#### **New Zealand:**

#### **Product Disposal**

Product wastes are controlled wastes and should be disposed of in accordance with all applicable local and national regulations. This product can be disposed through a licensed commercial waste collection service. In this specific case the product is a combustible substance and therefore can be sent to an approved high temperature incineration plant for disposal. Personal protective clothing and equipment as specified in Section 8 of this

Material name: High and Low Temperature Grease 7036(220) SDS Australia&New Zealand Version #: 1.1 Issue date: 23-10-2019. Revision date: 23-05-2022. 5 /8



SDS must be worn during handling and disposal of this product. The ventilation requirements as specified in the same section must be followed, and the precautions given in Section 7 of this SDS regarding handling must also be followed. Do not dispose into the sewerage system. Do not discharge into drains or watercourses or dispose where ground or surface waters may be affected. In New Zealand, the disposal agency or contractor must comply with the New Zealand Hazardous Substances (Disposal) Regulations 2001. Further details regarding disposal can be obtained on the EPA New Zealand website under specific group standards.

#### **Container Disposal**

The container or packaging must be cleaned and rendered incapable of holding any substance. It can then be disposed of in a manner consistent with that of the substance it contained. In this instance the packaging can be disposed through a commercial waste collection service. Alternatively, the container or packaging can be recycled if the hazardous residues have been thoroughly cleaned or rendered non-hazardous. In New Zealand, the packaging (that may or may not hold any residual substance) that is lawfully disposed of by householders or other consumers through a public or commercial waste collection service is a means of compliance with regulations.

## 14. Transport information

#### Australia:

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

#### **New Zealand:**

Not classified as Dangerous Goods for transport according to the NZS 5433:2012 Transport of Dangerous Goods on Land.

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea. Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

## **U.N. Number**

None Allocated

#### **Proper Shipping Name**

None Allocated

**DG Class** 

None Allocated

## **Packing Group**

None Allocated

## 15. Regulatory information

### Safety, health and environmental regulations specific for the product in question

#### Australia:

Not classified as Hazardous according to criteria of National Occupational Health and Safety Commission (NOHSC), Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

#### **New Zealand:**

Not classified as Hazardous according to the New Zealand Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001.

Australia HVIC: Listed substance

Material name: High and Low Temperature Grease 7036(220) Version #: 1.1 Issue date: 23-10-2019. Revision date: 23-05-2022. 6 /8



Not available.

#### **New Zealand Location Test Certificate**

Subject to Regulation 55 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations a location test certificate is required when quantity greater than or equal to those indicated below are present.

Hazard Class	Quantity beyond which controls apply	Quantity beyond which controls apply
	for closed containers	when use occurring in open containers
Not Applicable	Not Applicable	Not Applicable

#### **New Zealand Approved Handler**

Subject to Regulation 56 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations, the substance must be under the personal control of an Approved Handler when present in a quantity greater than or equal to those indicated below.

Class of substance	Quantities
Not Applicable	Not Applicable

Inventory status:		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Not available.
Canada	Domestic Substances List (DSL)	Not available.
Canada	Non-Domestic Substances List (NDSL)	Not available.
China	Inventory of Existing Chemical Substances in China (IECSC)	Not available.
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Not available.
Europe	European List of Notified Chemical Substances (ELINCS)	Not available.
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Not available.
Korea	Existing Chemicals List (ECL)	Not available.
New Zealand	New Zealand Inventory	Not available.
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Not available.
United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory		Not available.

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

## 16. Other information

Indication of changes: Version 1.1

Date of preparation or review: 2022.05.23

**Key abbreviations or acronyms** CAS: Chemical Abstracts Service **used:** LC50: Lethal Concentration 50

EC50: Concentration for 50% of maximal effect

LD50: Lethal dose 50%

MAC: maximum allowable concentration, MAC)

PC-TWA: permissible concentration-time weighted average PC-STEL: permissible concentration-short term exposure limit

reference Australia:

Standard for the Uniform Scheduling of Medicines and Poisons.

Approved criteria for classifying hazardous substances [NOHSC: 1008(2004)].

Material name: High and Low Temperature Grease 7036(220)

SDS Australia&New Zealand

Version #: 1.1 Issue date: 23-10-2019. Revisión date: 23-05-2022.

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).



National Code of Practice for the Preparation of Material Safety Data Sheets [NOHSC: 2011(2003)].

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

Workplace exposure standards for airborne contaminants, Safe work Australia.

American Conference of Industrial Hygienists (ACGIH)

#### New Zealand:

Workplace Exposure Standards and Biological Exposure Indices

Transport of Dangerous goods on land NZS 5433.

Preparation of Safety Data Sheets - Approved Code of Practice Under the HSNO Act 1996 (HSNO CoP 8-1 0906).

Assigning a hazardous substance to a group standard.

American Conference of IndustriaLHygienists (ACGIH)

Material name: High and Low Temperature Grease 7036(220)

Version #: 1.1

Issue date: 23-10-2019.

Revision date: 23-05-2022.

SDS Australia&New Zealand 8 /8